Optimal Audio

Controllers

Zone

	**Zone 4**	4 Zone Signal-Processor, Presets for Optimal Audio Speakers, 2x Mic-In (+48V), 4x Line-In (Stereo), 2x HDMI-In, 2x Paging-In, 19", 2HE x	C3	1'215.–
	Zone 4P	Dito, 4x 100W@4Ω/8Ω, 2x 200W @70V (bridge)	C3	1'795.–
	**Zone 8**	8 Zone Signal-Processor, Presets for Optimal Audio Speakers, 2x Mic-In (+48V), 4x Line-In (Stereo), 2x HDMI-In, 2x Paging-In, 19", 2HE	C3	1'540.–
	Zone 8P	Dito, 8x 100W@4Ω/8Ω, 4x 200W @70V (bridge)	C3	2'670.–
	**ZonePad 1**	Single Zone Wall Controller, 1x Mic-In (+48V), 1x Line-In (Mono)	C3	295.–
	**ZonePad 4**	4 Zone Wall Controller	C3	295.–

ZonePad - Accessories

	**Cavity Wall Box**	Fixing to plasterboard wall	C3	8.–
	**Solid Wall Box**	Metal back box for flush mounting	C3	10.–
	**Surface Mount Box**	Surface mounting plastic box	C3	10.–

GO WILD AG
Sumpfstrasse 22 • 6312 Steinhausen • Tel 041 766 37 00
e-mail: info@gowild.ch • www.gowild.ch • FAX 041 766 37 05


Optimal Audio

Loudspeakers

Ceiling

	**Up 3**	Full-Range, passive, ceiling speaker, 3”, 20W AES @8Ohm, 3.8/7.5/15@100V, frequency response 95Hz-15kHz +/- 3dB, max. SPL 97dB, 130° conical, cut out 170mm, Ø 202mm x (D)145mm, 1.6Kg	C3	110.–
	**Up 4O**	Full-Range, passive, ceiling speaker, 4”, 10W AES @8Ohm, 1.5/3/6@100V, frequency response 87Hz-15kHz +/- 3dB, max. SPL 100dB, 130° conical, cut out 175mm, Ø 202mm x (D)95mm, 1.3Kg	C3	75.–
	**Up 4S**	2-way, passive, ceiling speaker, **LF:** 4” / **HF:** 1”, 15W AES @8Ohm, 2/4/8@100V, frequency response 110Hz-18kHz +/- 3dB, max. SPL 98dB, 150° conical, cut out 175mm, Ø 202mm x (D)122mm, 2.2Kg	C3	155.–
	**Up 4**	2-way, passive, ceiling speaker, **LF:** 4” / **HF:** 1”, 30W AES @8Ohm, 6.3/12.5/25@100V, frequency response 100Hz-18kHz +/- 3dB, max. SPL 102dB, 120° conical, cut out 175mm, Ø 202mm x (D)206mm, 2.2Kg	C3	170.–
	**UP 6**	2-way, passive, ceiling speaker, **LF:** 6.5” / **HF:** 1”, 60W AES @16Ohm, 15/30/60@100V, frequency response 115Hz-18kHz +/- 3dB, max. SPL 108dB, 110° conical, cut out 220mm, Ø 251mm x (D)194mm, 3Kg	C3	195.–
	**UP 6O**	2-way, passive, ceiling speaker, **LF:** 6.5” / **HF:** 1”, 60W AES @16Ohm, 15/30/60@100V, frequency response 65Hz-18kHz +/- 3dB, max. SPL 108dB, 110° conical, cut out 220mm, Ø 251mm x (D)104mm, 2.2Kg	C3	150.–

Accessories

	**Up P1-B**	Pendant accessory kit for Up 3 / Up 4(S), without mounting (cable)	C3	60.–
	Up P1-W	Dito, **white**	C3	60.–
	Up P2-B	Dito, for Up 6, **black**	C3	70.–
	Up P2-W	Dito, **white**	C3	70.–
	**Up G1-B**	Bezel-less grille accessory kit for all Up 3 / Up 4	C3	25.–
	Up G1-W	Dito, **white**	C3	25.–
	Up G2-B	Dito, for all Up 6, **black**	C3	30.–
	Up G2-W	Dito, **white**	C3	30.–
	**GEB-180T150**	Einbetoniergehäuse mit Einbauöffnung 180mm, Höhe Innen 150mm, Höhe Aussen 165mm, Gewicht 1'160 Gr. Passend zu: Optimal Audio Up 4O	C3	75.–
	GEB-225T180	Einbetoniergehäuse mit Einbauöffnung 225mm, Höhe Innen 180mm, Höhe Aussen 195mm, Gewicht 1'350 Gr. Passend zu: Optimal Audio Up 6O	C3	75.–

GO WILD AG
Sumpfstrasse 22 • 6312 Steinhausen • Tel 041 766 37 00
e-mail: info@gowild.ch • www.gowild.ch • FAX 041 766 37 05

Optimal Audio

On-wall

	**Cuboid 3B**	2-way, passive speaker, **LF:** 3.5” / **HF:** 0.5”, 30W AES @8Ohm, frequency response 125Hz-20kHz +/- 3dB, max. SPL 98dB, 130° hor. / 120° vert, M4 inserts, (W)120mm x (H)190mm x (D)118mm, 1.3Kg, **incl. wall bracket**	C3	75.–
	Cuboid 3W	Dito, **white**	C3	75.–
	Cuboid 3TXB	Dito, 5/7.5/10/15W@100V, 2.6Kg, **black**	C3	95.–
	Cuboid 3TXW	Dito, **white**	C3	95.–
	**Cuboid 5B**	2-way, passive speaker, **LF:** 5.25” / **HF:** 0.75”, 50W AES @8Ohm, frequency response 97Hz-20kHz +/- 3dB, max. SPL 105dB, 150° hor. / 100° vert, M4 inserts, (W)155mm x (H)255mm x (D)150mm, 2.5Kg, **incl. wall bracket**	C3	110.–
	Cuboid 5W	Dito, **white**	C3	110.–
	Cuboid 5TXB	Dito, 5/7.5/10/15W@100V, 2.6Kg, **black**	C3	130.–
	Cuboid 5TXW	Dito, **white**	C3	130.–
	**Cuboid 6B**	2-way, passive speaker, **LF:** 6.5” / **HF:** 1”, 60W AES @8Ohm, frequency response 90Hz-20kHz +/- 3dB, max. SPL 107dB, 130° hor. / 120° vert, M4 inserts, (W)200mm x (H)320mm x (D)190mm, 3.8Kg, **incl. wall bracket**	C3	175.–
	Cuboid 6W	Dito, **white**	C3	175.–
	Cuboid 6TXB	Dito, 7.5/15/30/60W@100V, **black**	C3	210.–
	Cuboid 6TXW	Dito, **white**	C3	210.–
	**Cuboid 8**	2-way, passive speaker, **LF:** 8” / **HF:** 1”, 200W AES @8Ohm, frequency response 90Hz-18kHz +/- 3dB, max. SPL 115dB, 90° hor. / 50° vert, (user-rotatble), M8 inserts, (W)256mm x (H)422mm x (D)261mm, 10Kg	C3	475.–
	Cuboid 10	2-way, passive speaker, **LF:** 10” / **HF:** 1”, 250W AES @8Ohm, frequency response 65Hz-20kHz +/- 3dB, max. SPL 120dB, 90° hor. / 50° vert, (user-rotatble), M8 inserts, (W)322mm x (H)524mm x (D)326mm, 16Kg	C3	640.–
	**Cuboid 12**	2-way, passive speaker, **LF:** 12” / **HF:** 1”, 300W AES @8Ohm, frequency response 62Hz-20kHz +/- 3dB, max. SPL 123dB, 80° hor. / 50° vert, (user-rotatble), M8 inserts, (W)360mm x (H)575mm x (D)392mm, 20Kg	C3	740.–
	Cuboid 15	2-way, passive speaker, **LF:** 15” / **HF:** 1”, 500W AES @8Ohm, frequency response 58Hz-18kHz +/- 3dB, max. SPL 126dB, 80° hor. / 50° vert, (user-rotatble), M8 inserts, (W)426mm x (H)691mm x (D)416mm, 28Kg	C3	995.–



GO WILD AG
Sumpfstrasse 22 • 6312 Steinhausen • Tel 041 766 37 00
e-mail: info@gowild.ch • www.gowild.ch • FAX 041 766 37 05

Optimal Audio

Subwoofers

	**Sub 6-B**	Low-profile subwoofer, 6”, 250W AES @8Ohm, frequency response 41Hz-200Hz +/- 3dB, max. SPL 112dB, M8 inserts, (W)200mm x (H)310mm x (D)400mm, 11.5Kg	C3	430.–
	Sub 6-W	Dito, **white**	C3	430.–
	**Sub 10**	Low-profile subwoofer, 10”, 250W AES @8Ohm, frequency response 50Hz-150Hz +/- 3dB, max. SPL 121dB, M8 inserts, (W)470mm x (H)297mm x (D)353mm, 12.9Kg	C3	565.–
	Sub 15	Low-profile subwoofer, 15”, 500W AES @8Ohm, frequency response 45Hz-150Hz +/- 3dB, max. SPL 129dB, M8 inserts, (W)716mm x (H)443mm x (D)480mm, 34.3Kg	C3	1'065.–

On-wall - Accessories

	**UB1-B**	U bracket for Cuboid 8, black	C3	215.–
	UB2-B	Dito, Cuboid 10	C3	220.–
	UB3-B	Dito, Cuboid 12	C3	240.–
	UB4-B	Dito, Cuboid 15	C3	270.–
	**WB1-B**	Wall bracket for Cuboid 8, black	C3	75.–
	WB2-B	Dito, Cuboid 10 – 12	C3	90.–
	WB3-B	Dito, Cuboid 15	C3	195.–
	**SB1-B**	Wall bracket, Sub 6 – 10, black	C3	60.–
	SB1-W	Dito, **white**	C3	60.–
	**CIPKIT-B**	Weatherized rear panel connector cover, Cuboid 3 – 5, IP54	C3	15.–
	CIPKIT-W	Dito, **white**	C3	15.–
	**CK3**	3m cable with carabiner, UP P1 – UP P2	C3	15.–

GO WILD AG
Sumpfstrasse 22 • 6312 Steinhausen • Tel 041 766 37 00
e-mail: info@gowild.ch • www.gowild.ch • FAX 041 766 37 05



Optimal Audio

Amplifiers

SmartAmp

	**SmartAmp 10**	2x 125W@4Ω/8Ω/16Ω/100V, Presets for Optimal Audio Speakers, GPIO, 1.9Kg, 1/2 Rack	C3	895.–
	**SmartAmp 20**	Dito, 4x 125W@4Ω/8Ω/16Ω/100V, 2.4Kg	C3	1'340.–
	**SmartAmp 30**	Dito, 4x 250W@4Ω/8Ω/16Ω/100V, 19“, 3.6Kg	C3	1'795.–
	**Amp 100**	2x 350W@4Ω, 2x 250W@8Ω, Jack/XLR combo inputs, Speakon 14.7Kg, 2HE	C3	625.–
	Amp 200	Dito, 700W@4Ω, 400W@8Ω, 17Kg	C3	825.–
	Amp 300	Dito, 1350W@4Ω, 800W@8Ω, 20Kg	C3	1'055.–

SmartAmp - Accessories

	**RACKKITA**	Rack ears and couplings for SmartAmp 10, 20, black	C3	40.–
	**RACKKITB**	SmartAmp Rear Rack support kit, black	C3	40.–
	**WALLMNT**	Wall /desktop mount kit for SmartAmp, black	C3	35.–

Ersetzt alle bisherigen Preislisten.
Remplace et annule les précédentes listes de prix.

Artikel mit grau unterlegtem Händlercode sind Neuheiten oder haben eine Preisänderung erfahren.
Articles avec code client gris sont des nouveautés ou ont changé de prix.

Bei Artikeln mit unterstrichenem Händlercode bitte Verfügbarkeit anfragen!
Articles avec code client souligné demandez leur disponibilité!

GO WILD AG
Sumpfstrasse 22 • 6312 Steinhausen • Tel 041 766 37 00
e-mail: info@gowild.ch • www.gowild.ch • FAX 041 766 37 05